

Protection where it's needed most...





Built to deal with today's harshest environments and toughest criminals the Techniguard MK II was designed with one thing in mind... Your Protection!

Designed with Security in mind the MK II was built to survive vandalism and deliberate attempts to destroy it whilst maintaining the ability to be deployed at a moments notice providing instant CCTV coverage to your site without the need for external power or connection of any kind.

Durability tested by the toughest weather Great Britain could throw at it the MK II will stand up to heavy winds, rain and even snow.



Deployed in minutes By Our Trained Installers Monitored 24/7/365 By Dedicated Arc Stations Techniguard Supported Police Rapid Response

TECHNIGUARD

TECHNIGUARD

Techniguard is the leading manufacturer and supplier of robust portable CCTV tower systems designed to reduce the need for static Security Officers on site.

The Techniguard system is deployed in minutes and maintains a continuous 360 degree camera coverage day and night so no incident or event will ever be missed. Intruder detection enables the system to be armed and disarmed both during working hours and none working hours as required.

TECHNIGUARD

Specifications

- Robust Portable tower unit 6m height.
- 360 Degree Camera Detection to 30m.
- Detection Firewalls 30m. (This can be increased if Required).
- Live 2 Way Public Address System for Audio Challenges.
- Full Night Vision 360 Degree Coverage.
- Full Video 360 Degree Coverage.
- On board 31 day video recording (Evidential Quality).
- GPS Positioning (Location of assets and response units).
- 3G/4G Communicator.

Power Options:

- Fuel Cell Technology which autonomously powers the System for up to 12 weeks.
- Mains Power.
- Generator Power.

Additional Features:

- Mains Power Supply Failure Alert.
- Fuel Cell Depletion Alert (Alarm notifies our 24hr Monitoring Station two weeks prior to cell depletion).
- Generator Power Failure Alert.
- Anti-Tamper System.
- ANPR ready

TECHNIGUARD

- (Alarm notifies our 24hr Monitoring Station of any Shock/Vibration/Tilt or Tampering).
- Automatic Fault Self-Diagnosis (Every Hour).

creditation	Base Specifications	Typical Equivalent	Techniguard
a Public	Pan-Tilt-Zoom (PTZ) Cameras	Optional	√
nitoring.	Vandal Resistant Cameras	Optional	✓
mitoring.	Vandal Resistant PTZ Cameras	Optional	√
accos /NSI	Infra-red (IR) Illumination	Optional	✓
nitoring station.	360 Degree Visibility HD Cameras	x	√
	30-day Digital Recording	✓	√
0 9001:2008	Live Audio Challenges	✓	✓
AIB Quality	Wireless External Alarm Detector[s]	Optional	√
	Off Site Video Alarm Transmission	Optional	√
inagement.	Remote Monitoring	√	✓
	On-site Viewing	Optional	√
<u>olications</u>	Uninterruptable Power Supply (UPS	×	✓
<mark>olications</mark> onstruction.	Uninterruptable Power Supply (UPS		✓
	Uninterruptable Power Supply (UPS System Integrity	x Typical Equivalent	√ Techniguard
onstruction. viation Sector.		Typical	
onstruction. viation Sector. lilitary.	System Integrity	Typical Equivalent	Techniguard
onstruction. viation Sector. lilitary. Paritime.	System Integrity Camera Failure Alerts	Typical Equivalent Optional	Techniguard
onstruction. viation Sector. lilitary.	System Integrity Camera Failure Alerts Detector[s] Masking Alerts	Typical Equivalent Optional X	Techniguard ✓ ✓
onstruction. viation Sector. lilitary. laritime. ailways	System Integrity Camera Failure Alerts Detector[s] Masking Alerts Detector[s] Orientation Alerts	Typical Equivalent Optional X X	Techniguard ✓ ✓ ✓
onstruction. viation Sector. lilitary. Paritime.	System Integrity Camera Failure Alerts Detector[s] Masking Alerts Detector[s] Orientation Alerts Detector[s] Removal Alerts	Typical Equivalent Optional X X X	Techniguard ✓ ✓ ✓ ✓
onstruction. viation Sector. lilitary. laritime. ailways	System Integrity Camera Failure Alerts Detector[s] Masking Alerts Detector[s] Orientation Alerts Detector[s] Removal Alerts Detector[s] Low Battery Alerts	Typical Equivalent Optional X X X X	Techniguard ✓ ✓ ✓ ✓ ✓
onstruction. viation Sector. lilitary. laritime. ailways	System IntegrityCamera Failure AlertsDetector[s] Masking AlertsDetector[s] Orientation AlertsDetector[s] Removal AlertsDetector[s] Low Battery AlertsDetector[s] System Check Alerts	Typical Equivalent Optional X X X X X X	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
onstruction. viation Sector. lilitary. Paritime. ailways <u>ntact</u> chniguard Limited	System IntegrityCamera Failure AlertsDetector[s] Masking AlertsDetector[s] Orientation AlertsDetector[s] Removal AlertsDetector[s] Low Battery AlertsDetector[s] System Check AlertsNetwork Failure/Congestion Alert	Typical Equivalent Optional X X X X X X X X X X	Techniguard ✓
onstruction. viation Sector. Vilitary. Paritime. ailways htact chniguard Limited	System Integrity Camera Failure Alerts Detector[s] Masking Alerts Detector[s] Orientation Alerts Detector[s] Removal Alerts Detector[s] Low Battery Alerts Detector[s] System Check Alerts Network Failure/Congestion Alert Recording Failure Alert	Typical Equivalent Optional X X X X X X X X X X X X X	Techniguard ✓

		and the second s
Installation And Operation	Typical Equivalent	Techniguard
Same day Installation	x	✓
Rental Contract	Optional	√
No minimum contract period	Optional	✓
Permanent Operation on Fuel Cell	x	✓
National Support Network	x	✓
Fully Insured	Optional	✓
Priority Police Response	x	✓
LICE		P

		-	
Expansion Options	Typical Equivalent	Techniguard	
Automatic Number Plate Recognition (ANPR)	×	Optional	
Wireless Internal Heat and Smoke Detector[s]	×	Optional	
Wireless Internal Intruder Alarm Detector[s]	×	Optional	

T: 0151 200 1999 F: 0151 201 1999 W: www.Techniguard.com

